Contents to volume 296

Research Letters

Conformational study of cyclo[D-Trp-D-Asp-Pro-D-Val-Leu], an endothelin-A receptor-selective antagonist (FEBS 10565) *R.A. Atkinson, J.T. Pelton* 1

Isolation and some properties of a 34-kDa-membrane protein that may be responsible for ribosome binding in rat liver rough microsomes (FEBS 10550) *T. Ichimura, T. Ohsumi, Y. Shindo, T. Ohwada, H. Yagame, Y. Momose, S. Omata, H. Sugano* 7

Structural determinants of Cys_2His_2 zinc fingers (FEBS 10564) *R.J. Mortishire-Smith, M.S. Lee, L. Bolinger, P.E. Wright* 11

Isolation and characterization of tissue inhibitors of metalloproteinases (TIMP-1 and TIMP-2) from human rheumatoid synovial fluid (FEBS 10566) *A. Osthues, V. Knäuper, R. Oberhoff, H. Reinke, H. Tschesche* 16

Microtubule-associated protein autophosphorylation alters in vitro microtubule dynamic instability (FEBS 10562) *N. Raffaelli, P.S. Yamauchi, D.L. Purich* 21

Immunologic and structural relatedness of the integrin β_7-complex and the human intraepithelial lymphocyte antigen HML-1 (FEBS 10563) *G.W. Krissansen, C.G. Print, R.L. Prestidge, D. Hollander, Q. Yuan, W.-m. Jiang, D.R. Jenkins, E. Leung, P. Mead, R. Yong, R.V. Ameratunga, N. Cerf-Bensussan, J.D. Watson* 25

Analysis of the structure of photosystem I in cyanobacterial thylakoid membranes (FEBS 10571) *A. Hefti, R.C. Ford, M. Miller, R.P. Cox, A. Engel* 29

The presence of free D-serine in rat brain (FEBS 10574) *A. Hashimoto, T. Nishikawa, T. Hayashi, N. Fujii, K. Harada, T. Oka, K. Takahashi* 33

Functional relationships between cyclodextrin glucanotransferase from an alkalophilic *Bacillus* and α-amylases: Site-directed mutagenesis of the conserved two Asp and one Glu residues (FEBS 10575) *A. Nakamura, K. Haga, S. Ogawa, K. Kuwano, K. Kimura, K. Yamane* 37

Effect of glucagon on insulin receptor phosphorylation in intact liver cells (FEBS 10570) *T. Issad, S.W. Young, J.M. Tavaré, R.M. Denton* 41

A substantial proportion of cardiac G_s is not associated with the plasma membrane (FEBS 10544) *D.A. Roth, K. Urasawa, D. Leiber, P.A. Insel, H.K. Hammond* 46

Ca^{2+}-dependent ubiquitination of calmodulin in yeast (FEBS 10547) *H.P. Jennissen, G. Botzet, M. Majetschak, M. Laub, R. Ziegenhagen, A. Demiroglou* 51

Production of inositol phosphates and reactive oxygen metabolites in quartz-dust-stimulated human polymorphonuclear leukocytes (FEBS 10548) *M.H. Tuomala, M.-R. Hirvonen, K.M. Savolainen* 57

Primary structure of rat pancreatic lipase mRNA (FEBS 10549) *C. Wicker-Planquart, A. Puigserver* 61

Acute ammonia toxicity is mediated by the NMDA type of glutamate receptors (FEBS 10553) *G. Marcaida, V. Felipo, C. Hermenegildo, M.-D. Miñana, S. Grisolía* 67

Arachidonic acid induces phosphorylation of an 18 kDa protein in electrically permeabilised rat islets of Langerhans (FEBS 10554) *H. Basudev, P.M. Jones, S.J. Persaud, S.L. Howell* 69

7α-Hydroxylation of 26-hydroxycholesterol, 3β-hydroxy-5-cholestenoic acid and 3β-hydroxy-5-cholenoic acid by cytochrome *P*-450 in pig liver microsomes (FEBS 10558) *A. Toll, J. Shoda, M. Axelson, J. Sjövall, K. Wikvall* 73

Appearance of the Na^+-motive terminal oxidase in *Bacillus FTU* grown under three different conditions lowering the $\Delta\bar{\mu}_{H^+}$ level (FEBS 10557) *A.L. Semeykina, V.P. Skulachev* 77

Enzymes involved in the dynamic equilibrium of core histone acetylation of *Physarum polycephalum* (FEBS 10559) *G. López-Rodas, G. Brosch, G. Golderer, H. Lindner, P. Gröbner, P. Loidl* 82

Interaction of ACTH, β-endorphin and α-melanocyte stimulating hormone in relation to the corticosteroid production of isolated rat adrenocortical zona fasciculata and zona glomerulosa cells (FEBS 10561) *K.S. Szalay, G. Folly* 87

Cis-trans isomerization is rate-determining in the reactivation of denatured human carbonic anhydrase II as evidenced by proline isomerase (FEBS 10578) *C. Fransson, P.-O. Freskgård, H. Herbertsson, Å. Johansson, P. Jonasson, L.-G. Mårtensson, M. Svensson, B.-H. Jonsson, U. Carlsson* 90

Effects of substitution of aspartate-440 and tryptophan-487 in the thiamin diphosphate binding region of pyruvate decarboxylase from *Zymomonas mobilis* (FEBS 10579) *R.J. Diefenbach, J.M. Candy, J.S. Mattick, R.G. Duggleby* 95

Recognition of transition metal ions by peptides: Identification of specific metal-binding peptides in proteolytic digest maps by UV laser desorption time-of-flight mass spectrometry (FEBS 10582) *T.W. Hutchens, R.W. Nelson, T.-T. Yip* 99

Ellipticity changes of the sarcoplasmic reticulum Ca^{2+}-ATPase induced by cation binding and phosphorylation (FEBS 10583) *J.-L. Girardet, Y. Dupont* 103

Opioid peptides derived from wheat gluten: their isolation and characterization (FEBS 10584) *S.-i. Fukudome, M. Yoshikawa* 107

2-Aminopurine inhibits RNA and protein synthesis and reduces catecholamine desensitization in C6-2B rat glioma cells (FEBS 10585) *M.A. DeBernardi, G. Brooker* 112

Time-varying and static magnetic fields act in combination to alter calcium signal transduction in the lymphocyte (FEBS 10569) *M.G. Yost, R.P. Liburdy* 117

Biotinyl analogues of amylin as biologically active probes for amylin/ CGRP receptor recognition (FEBS 10572) *A. Chantry, E.A. Foot, B. Leighton, A.J. Day, A.C. Willis* 123

Retroviral-mediated transfer of a dystrophin minigene into *mdx* mouse myoblasts in vitro (FEBS 10573) *M.G. Dunckley, D.R. Love, K.E. Davies, F.S. Walsh, G.E. Morris, G. Dickson* 128

Regulation of Mg^{2+} uptake in isolated rat myocytes and hepatocytes by protein kinase C (FEBS 10576) *A. Romani, C. Marfella, A. Scarpa* 135

Resonance effects in strongly exothermic long-range electron transfer and their possible implications for the behaviour of site-directed mutant proteins (FEBS 10543) *H.E.M. Christensen, L.S. Conrad, J.M. Hammerstad-Pedersen, J. Ulstrup* 141

Specific inhibition of binding of antistasin and [$A^{103,106,108}$] antistasin 93–119 to sulfatide (Gal(3-SO4)β1-1Cer) by glycosaminoglycans (FEBS 10577) *R.G. Brankamp, G.D. Manley, T.J. Owen, J.L. Krstenansky, A.D. Cardin* 145

Low resolution solution structure of the *Bacillus subtilis* glucose permease IIA domain derived from heteronuclear three-dimensional NMR spectroscopy (FEBS 10605) *W.J. Fairbrother, G.P. Gippert, J. Reizer, M.H. Saier Jr., P.E. Wright* 148

A study of D52S hen lysozyme-GlcNAc oligosaccharide complexes by NMR spectroscopy and electrospray mass spectrometry (FEBS 10568) *K.J. Lumb, R.T. Aplin, S.E. Radford, D.B. Archer, D.J. Jeenes, N. Lambert, D.A. MacKenzie, C.M. Dobson, G. Lowe* 153

Membrane-bound annexin V isoforms (CaBP33 and CaBP37) and annexin VI in bovine tissues behave like integral membrane proteins (FEBS 10580) *R. Bianchi, I. Giambanco, P. Ceccarelli, G. Pula, R. Donato* 158

Contents to volume 296

Research Letters

Conformational study of cyclo[D-Trp-D-Asp-Pro-D-Val-Leu], an endothelin-A receptor-selective antagonist (FEBS 10565) *R.A. Atkinson, J.T. Pelton* 1

Isolation and some properties of a 34-kDa-membrane protein that may be responsible for ribosome binding in rat liver rough microsomes (FEBS 10550) *T. Ichimura, T. Ohsumi, Y. Shindo, T. Ohwada, H. Yagame, Y. Momose, S. Omata, H. Sugano* 7

Structural determinants of Cys_2His_2 zinc fingers (FEBS 10564) *R.J. Mortishire-Smith, M.S. Lee, L. Bolinger, P.E. Wright* 11

Isolation and characterization of tissue inhibitors of metalloproteinases (TIMP-1 and TIMP-2) from human rheumatoid synovial fluid (FEBS 10566) *A. Osthues, V. Knäuper, R. Oberhoff, H. Reinke, H. Tschesche* 16

Microtubule-associated protein autophosphorylation alters in vitro microtubule dynamic instability (FEBS 10562) *N. Raffaelli, P.S. Yamauchi, D.L. Purich* 21

Immunologic and structural relatedness of the integrin β_7-complex and the human intraepithelial lymphocyte antigen HML-1 (FEBS 10563) *G.W. Krissansen, C.G. Print, R.L. Prestidge, D. Hollander, Q. Yuan, W.-m. Jiang, D.R. Jenkins, E. Leung, P. Mead, R. Yong, R.V. Ameratunga, N. Cerf-Bensussan, J.D. Watson* 25

Analysis of the structure of photosystem I in cyanobacterial thylakoid membranes (FEBS 10571) *A. Hefti, R.C. Ford, M. Miller, R.P. Cox, A. Engel* 29

The presence of free D-serine in rat brain (FEBS 10574) *A. Hashimoto, T. Nishikawa, T. Hayashi, N. Fujii, K. Harada, T. Oka, K. Takahashi* 33

Functional relationships between cyclodextrin glucanotransferase from an alkalophilic *Bacillus* and α-amylases: Site-directed mutagenesis of the conserved two Asp and one Glu residues (FEBS 10575) *A. Nakamura, K. Haga, S. Ogawa, K. Kuwano, K. Kimura, K. Yamane* 37

Effect of glucagon on insulin receptor phosphorylation in intact liver cells (FEBS 10570) *T. Issad, S.W. Young, J.M. Tavaré, R.M. Denton* 41

A substantial proportion of cardiac G_s is not associated with the plasma membrane (FEBS 10544) *D.A. Roth, K. Urasawa, D. Leiber, P.A. Insel, H.K. Hammond* 46

Ca^{2+}-dependent ubiquitination of calmodulin in yeast (FEBS 10547) *H.P. Jennissen, G. Botzet, M. Majetschak, M. Laub, R. Ziegenhagen, A. Demiroglou* 51

Production of inositol phosphates and reactive oxygen metabolites in quartz-dust-stimulated human polymorphonuclear leukocytes (FEBS 10548) *M.H. Tuomala, M.-R. Hirvonen, K.M. Savolainen* 57

Primary structure of rat pancreatic lipase mRNA (FEBS 10549) *C. Wicker-Planquart, A. Puigserver* 61

Acute ammonia toxicity is mediated by the NMDA type of glutamate receptors (FEBS 10553) *G. Marcaida, V. Felipo, C. Hermenegildo, M.-D. Miñana, S. Grisolía* 67

Arachidonic acid induces phosphorylation of an 18 kDa protein in electrically permeabilised rat islets of Langerhans (FEBS 10554) *H. Basudev, P.M. Jones, S.J. Persaud, S.L. Howell* 69

7α-Hydroxylation of 26-hydroxycholesterol, 3β-hydroxy-5-cholestenoic acid and 3β-hydroxy-5-cholenoic acid by cytochrome *P*-450 in pig liver microsomes (FEBS 10558) *A. Toll, J. Shoda, M. Axelson, J. Sjövall, K. Wikvall* 73

Appearance of the Na^+-motive terminal oxidase in *Bacillus FTU* grown under three different conditions lowering the $\Delta\bar{\mu}_{H^+}$ level (FEBS 10557) *A.L. Semeykina, V.P. Skulachev* 77

Enzymes involved in the dynamic equilibrium of core histone acetylation of *Physarum polycephalum* (FEBS 10559) *G. López-Rodas, G. Brosch, G. Golderer, H. Lindner, P. Gröbner, P. Loidl* 82

Interaction of ACTH, β-endorphin and α-melanocyte stimulating hormone in relation to the corticosteroid production of isolated rat adrenocortical zona fasciculata and zona glomerulosa cells (FEBS 10561) *K.S. Szalay, G. Folly* 87

Cis-trans isomerization is rate-determining in the reactivation of denatured human carbonic anhydrase II as evidenced by proline isomerase (FEBS 10578) *C. Fransson, P.-O. Freskgård, H. Herbertsson, Å. Johansson, P. Jonasson, L.-G. Mårtensson, M. Svensson, B.-H. Jonsson, U. Carlsson* 90

Effects of substitution of aspartate-440 and tryptophan-487 in the thiamin diphosphate binding region of pyruvate decarboxylase from *Zymomonas mobilis* (FEBS 10579) *R.J. Diefenbach, J.M. Candy, J.S. Mattick, R.G. Duggleby* 95

Recognition of transition metal ions by peptides: Identification of specific metal-binding peptides in proteolytic digest maps by UV laser desorption time-of-flight mass spectrometry (FEBS 10582) *T.W. Hutchens, R.W. Nelson, T.-T. Yip* 99

Ellipticity changes of the sarcoplasmic reticulum Ca^{2+}-ATPase induced by cation binding and phosphorylation (FEBS 10583) *J.-L. Girardet, Y. Dupont* 103

Opioid peptides derived from wheat gluten: their isolation and characterization (FEBS 10584) *S.-i. Fukudome, M. Yoshikawa* 107

2-Aminopurine inhibits RNA and protein synthesis and reduces catecholamine desensitization in C6-2B rat glioma cells (FEBS 10585) *M.A. DeBernardi, G. Brooker* 112

Time-varying and static magnetic fields act in combination to alter calcium signal transduction in the lymphocyte (FEBS 10569) *M.G. Yost, R.P. Liburdy* 117

Biotinyl analogues of amylin as biologically active probes for amylin/ CGRP receptor recognition (FEBS 10572) *A. Chantry, E.A. Foot, B. Leighton, A.J. Day, A.C. Willis* 123

Retroviral-mediated transfer of a dystrophin minigene into *mdx* mouse myoblasts in vitro (FEBS 10573) *M.G. Dunckley, D.R. Love, K.E. Davies, F.S. Walsh, G.E. Morris, G. Dickson* 128

Regulation of Mg^{2+} uptake in isolated rat myocytes and hepatocytes by protein kinase C (FEBS 10576) *A. Romani, C. Marfella, A. Scarpa* 135

Resonance effects in strongly exothermic long-range electron transfer and their possible implications for the behaviour of site-directed mutant proteins (FEBS 10543) *H.E.M. Christensen, L.S. Conrad, J.M. Hammerstad-Pedersen, J. Ulstrup* 141

Specific inhibition of binding of antistasin and [$A^{103,106,108}$] antistasin 93–119 to sulfatide (Gal(3-SO4)β1-1Cer) by glycosaminoglycans (FEBS 10577) *R.G. Brankamp, G.D. Manley, T.J. Owen, J.L. Krstenansky, A.D. Cardin* 145

Low resolution solution structure of the *Bacillus subtilis* glucose permease IIA domain derived from heteronuclear three-dimensional NMR spectroscopy (FEBS 10605) *W.J. Fairbrother, G.P. Gippert, J. Reizer, M.H. Saier Jr., P.E. Wright* 148

A study of D52S hen lysozyme-GlcNAc oligosaccharide complexes by NMR spectroscopy and electrospray mass spectrometry (FEBS 10568) *K.J. Lumb, R.T. Aplin, S.E. Radford, D.B. Archer, D.J. Jeenes, N. Lambert, D.A. MacKenzie, C.M. Dobson, G. Lowe* 153

Membrane-bound annexin V isoforms (CaBP33 and CaBP37) and annexin VI in bovine tissues behave like integral membrane proteins (FEBS 10580) *R. Bianchi, I. Giambanco, P. Ceccarelli, G. Pula, R. Donato* 158

Anhydrosubtilisin-catalyzed peptide synthesis (FEBS 10586) *K. Tanizawa, A. Sugimura, Y. Kanaoka* 163
Oleoylamine and sphingosine stimulation of phosphatidylserine synthesis by LA-N-2 cells is protein kinase C independent (FEBS 10589) *I.N. Singh, G. Sorrentino, R. Massarelli, J.N. Kanfer* 166
The major *Thiobacillus ferrooxidans* outer membrane protein forms low conductance ion channels in planar lipid bilayers (FEBS 10591) *M. Silva, A. Ferreira, M. Rodriguez, D. Wolff* 169
The clearance of apoptotic cells in the liver is mediated by the asialoglycoprotein receptor (FEBS 10581) *L. Dini, F. Autuori, A. Lentini, S. Oliverio, M. Piacentini* 174
The precursor form of the rat liver non-specific lipid-transfer protein, expressed in *Escherichia coli*, has lipid transfer activity (FEBS 10588) *B.C. Ossendorp, T.B.H. Geijtenbeek, K.W.A. Wirtz* 179
Alteration of the proximal bond energy in the unliganded form of the homodimeric myoglobin from *Nassa mutabilis*: Kinetic and spectroscopic evidence (FEBS 10590) *M. Coletta, P. Ascenzi, G. Smulevich, A.R. Mantini, R.D. Gaudio, M. Piscopo, G. Geraci* 184
Glycinebetaine stabilizes the association of extrinsic proteins with the photosynthetic oxygen-evolving complex (FEBS 10593) *N. Murata, P.S. Mohanty, H. Hayashi, G.C. Papageorgiou* 187
Shortened cecropin A–melittin hybrids: Significant size reduction retains potent antibiotic activiy (FEBS 10594) *D. Andreu, J. Ubach, A. Boman, B. Wåhlin, D. Wade, R.B. Merrifield, H.G. Boman* 190
Differential regulation of metalloprotease steady-state mRNA levels by IL-1 and FGF in rabbit articular chondrocytes (FEBS 10587) *S. Chandrasekhar, A.K. Harvey* 195
Molecular cloning of a human gene (S31) encoding a novel serotonin receptor mediating inhibition of adenylyl cyclase (FEBS 10597) *F.O. Levy, T. Gudermann, M. Birnbaumer, A.J. Kaumann, L. Birnbaumer* 201
Puromycin reaction for the A site-bound peptidyl-tRNA (FEBS 10595) *Y. Semenkov, T. Shapkina, V. Makhno, S. Kirillov* 207
Glucose has to be phosphorylated to activate glycogen synthase, but not to inactivate glycogen phosphorylase in hepatocytes (FEBS 10599) *A. Carabaza, C.J. Ciudad, S. Baqué, J.J. Guinovart* 211
The major form of protein tyrosine kinase in the dog prostate is expressed by a 50 kDa polypeptide (FEBS 10600) *L.T. Nguyen, Y. Durocher, A. Chapdelaine, S. Chevalier* 215
Nitrendipine is a potent inhibitor of the Ca^{2+}-activated K^+ channel of human erythrocytes (FEBS 10598) *J.C. Ellory, K. Kirk, S.J. Culliford, G.B. Nash, J. Stuart* 219
A plant homologue to mammalian brain 14-3-3 protein and protein kinase C inhibitor (FEBS 10601) *S. Hirsch, A. Aitken, U. Bertsch, J. Soll* 222
Okadaic acid inhibits angiotensin II stimulation of Ins(1,4,5)P_3 and calcium signalling in rat hepatocytes (FEBS 10603) *R.R. Mattingly, J.C. Garrison* 225
Tissue inhibitor of metalloproteinase-2 (TIMP-2) has erythroid-potentiating activity (FEBS 10602) *W.G. Stetler-Stevenson, N. Bersch, D.W. Golde* 231
Annexin II inhibits calcium-dependent phospholipase A_1 and lysophospholipase but not triacyl glycerol lipase activities of rat liver hepatic lipase (FEBS 10606) *E. Bohn, V. Gerke, H. Kresse, B.-M. Löffler, H. Kunze* 237
Stable expression of high affinity NK_1 (substance P) and NK_2 (neurokinin A) receptors but low affinity NK_3 (neurokinin B) receptors in transfected CHO cells (FEBS 10607) *U. Gether, T. Marray, T.W. Schwartz, T.E. Johansen* 241
Intracellular Ca^{2+} release by flufenamic acid and other blockers of the non-selective cation channel (FEBS 10608) *P. Poronnik, M.C. Ward, D.I. Cook* 245
Proton NMR study of the interaction of benzo(a)pyrene with rat liver microsomal cytochrome P-450 (FEBS 10604) *L. Castro-Maderal, P.D. Sullivan* 249
Genetically tailored atrial natriuretic factor-dependent guanylate cyclase: Immunological and functional identity with 180 kDa membrane guanylate cyclase and ATP signaling site (FEBS 10609) *R. Marala, T. Duda, R.M. Goraczniak, R.K. Sharma* 254
Reduction of carbon monoxide to formaldehyde by the terminal oxidase of the marine bacterium *Pseudomonas nautica* strain 617 (FEBS 10592) *S. Arnaud, F. Malatesta, M. Denis* 259
A novel coumarin-labelled peptide for sensitive continuous assays of the matrix metalloproteinases (FEBS 10610) *C.G. Knight, F. Willenbrock, G. Murphy* 263
Translation enhancing properties of the 5′-leader of potato virus X genomic RNA (FEBS 10611) *D.A. Zelenina, O.I. Kulaeva, E.V. Smirnyagina, A.G. Solovyev, N.A. Miroshnichenko, O.N. Fedorkin, N.P. Rodionova, S.Y. Morozov, J.G. Atabekov* 267
Interaction of a synthetic peptide of the interferon α2 C-terminal part with human blood leukocytes. II. Effect on protein tyrosine phosphorylation (FEBS 10612) *A.V. Danilkovich, A.I. Kharitonenkov, K.V. Freze, A.F. Shevalier, O.V. Kolosova, T.V. Bulargina, A.F. Kirkin, M.V. Gusev* 271
Isolation of factor Xa from chick embryo as the amniotic endoprotease responsible for paramyxovirus activation (FEBS 10613) *B. Gotoh, F. Yamauchi, T. Ogasawara, Y. Nagai* 274
Effects of thionins on β-glucuronidase in vitro and in plant protoplasts (FEBS 10614) *I. Diaz, M.J. Carmona, F. Garcia-Olmedo* 279
Function of the lipopolysaccharide-binding protein of *Periplaneta americana* as an opsonin (FEBS 10618) *T. Jomori, S. Natori* 283
Ca^{2+}-induced Ca^{2+} release in insulin-secreting cells (FEBS 10615) *M.S. Islam, P. Rorsman, P.-O. Berggren* 287
A cDNA from brain of *Xenopus laevis* coding for a new precursor of thyrotropin-releasing hormone (FEBS 10616) *M. Bulant, K. Richter, K. Kuchler, G. Kreil* 292
Different regulation of collagen I gene transcription in three-dimensional lattice cultures (FEBS 10620) *P. Gillery, A. Leperre, F. Coustry, F.-X. Maquart, J.-P. Borel* 297
Imidazole-SDS-Zn reverse staining of proteins in gels containing or not SDS and microsequence of individual unmodified electroblotted proteins (FEBS 10619) *M.L. Ortiz, M. Calero, C.F. Patron, L. Castellanos, E. Mendez* 300
Molecular cloning and expression in *Escherichia coli* of a cyanobacterial gene coding for phytoene synthase, a carotenoid biosynthesis enzyme (FEBS 10617) *D. Chamovitz, N. Misawa, G. Sandmann, J. Hirschberg* 305
Transcription mapping of the Ori L region reveals novel precursors of mature RNA species and antisense RNAs in rat mitochondrial genome (FEBS 10623) *E. Sbisà, A. Tullo, M. Nardelli, F. Tanzariello, C. Saccone* 311
PKC-independent inhibition of glutamate exocytosis by arachidonic acid in rat cerebrocortical synaptosomes (FEBS 10622) *I. Herrero, M.T. Miras-Portugal, J. Sánchez-Prieto* 317

Author Index to volume 296 320

Contents to volume 296 324